



Golden Sands
Resource Conservation
& Development Council, Inc.



Aquatic Invasive Species Quick Guide

Chinese Mystery Snail (*Cipangopaludina chinensis* Reeve)

Description: Chinese mystery snails are often large, up to nearly 3 inches tall. Shells are typically dark brown, and may have some dark vertical ridges near the opening. The lowermost whorl of the shell is usually much wider than the rest of the shell. At the opening of the shell, a thick, hardened plate called an operculum is able to seal the shell against predators or harmful chemicals in the water. Chinese mystery snails are capable of grazing algae from surfaces and filter-feeding on suspended algae particles.



The Chinese mystery snail can be nearly 3 inches tall.

North American Distribution: Scattered across North America, but they are most abundant in the eastern and central United States.



Chinese mystery snails have a tough plate called an operculum covering the shell opening.

Dispersal Vectors: Native to eastern Asia, Chinese mystery snails were first imported to the U.S. in the late 1800s as a food item in oriental markets. It is believed that some people may have “seeded” these snails into local waterways for later harvest. Chinese mystery snails are also introduced to water gardens for the purpose of clarifying the water and grazing algae from hard surfaces. At any time during summer and fall, each female may contain dozens of small snails at different stages of development. She occasionally gives birth to small batches of live young, complete with shells.

Ecological Impacts: Chinese mystery snails likely compete for food and resources with native snails and other grazers or filter-feeders. Some research studies suggest that impacts to native species may be insignificant. Chinese mystery snails serve as a secondary host for a trematode parasite that has been killing large numbers of waterfowl in the Midwestern U.S. Some larger animals like turtles or muskrats may occasionally feed on Chinese mystery snails.

Control Options: Manual removal of Chinese mystery snails remains the only effective method of control. Of course, the effect on the population depends on the number removed and the total population size. These snails prefer mucky, organic sediments, so manual removal is likely to be a difficult option in many areas.

Chemical control efforts tend to be unsuccessful and have unintended consequences to native snails and/or other animals. Chinese mystery snails can seal up their shells with their operculum, protecting them from unfavorable conditions like chemical pesticides. Most North American snails do not have this ability and would be harmed.



Juvenile Chinese mystery snails, just minutes old.

Additional Information:

Dillon, R. T. Jr., M. Ashton, M. Kohl, W. Reeves, T. Smith, T. Stewart & B. Watson 2013. *The freshwater gastropods of North America*. <http://www.fwgna.org>.

Global Invasive Species Database. *Bellamya chinensis*.

<http://www.issg.org/database/species/ecology.asp?si=1812&fr=1&sts=sss&lang=EN>

Photo credit: Paul Skawinski

This Quick Guide is part of a series on aquatic invasive species, and may be reproduced for educational purposes. Visit us at www.uwsp.edu/uwexlakes/clmn or www.goldensandsrccd.org/our-work/water to download this series of handouts.

Developed by Golden Sands Resource Conservation & Development (RC&D) Council, Inc. as part of an aquatic invasive species (AIS) education program, supported by an AIS grant from the Wisconsin Department of Natural Resources.

CMS-1-14